


Riley Children's Health at IU Health

Obesity Evaluation and Management Guidelines



Make a referral to Riley Children's Health at IU Health

You may find additional referral information and refer a patient online at rileychildrens.org/form/refer-a-patient.

Cardiology

T 317.274.8906 | F 317.274.4022

Child Psychiatry

T 317.944.8162 | F 317.948.0609

Diabetes Prevention Clinic and Endocrinology

T 317.944.3889 | F 317.944.3882

Gastroenterology, Hepatology and Nutrition | Weight Management Program

T 317.944.3774 | F 317.968.1055

Medical and Molecular Genetics


T 317.944.3966 | F 317.968.1354

Nephrology and Kidney Disease

T 317.274.2563 | F 317.287.3599

Sleep Medicine

T 317.948.7208 | F 317.944.7245



Created by the members of the Riley Children's Health at IU Health Pediatric Obesity Council

Amy Carter, MA, RD, CD, CDE, Eskenazi Health
Erika R. Cheng, MPA, PhD, Division of Children's Health Services Research
Elaine Gilbert, PsyD, Division of Child Psychiatry and Behavioral Sciences
Bryan E. Hainline, MD, PhD, Department of Medical and Molecular Genetics
Tamara S. Hannon, MD, MS, Division of Pediatric Endocrinology and Diabetology
Kathryn E. Harlow, MD, Division of Pediatric Gastroenterology, Hepatology, and Nutrition
Hasnaa E. Jalou, MD, Division of Pediatric Pulmonology
Jacqueline Maiers, MS, MD, Division of Pediatric Cardiology

Jean P. Mollleston, MD, Division of Pediatric Gastroenterology, Hepatology, and Nutrition
Zeina M. Nabhan, MD, MS, Division of Pediatric Endocrinology and Diabetology
Sara K. Naramore, MD, Division of Pediatric Gastroenterology, Hepatology, and Nutrition
Erin J. Phipps, MD, Department of Pediatrics
Sandra K. Prucka, MS, Department of Medical and Molecular Genetics
Katherine Sapp, MS, Department of Medical and Molecular Genetics
Tonya M. Somers, MS, RD, CDE, IU Health Physicians Diabetes Centers
Amy C. Wilson, MD, Division of Nephrology and Hypertension

*Lifestyle modifications

- Weight loss
- Exercise
- Dietary fiber
- CHILD-1 diet
- CHILD-2 diet

Additional comorbidities

- Assess for precocious puberty.
- If menstrual irregularities are present, consider polycystic ovary syndrome (PCOS) and refer to adolescent medicine.
- Consider referral to orthopedics for evaluation of slipped capital femoral epiphysis (SCFE), arthritis and persistent arthralgia.
- If poor linear growth is present, obtain thyroid function testing.

Blood Pressure Levels for Boys by Age and Height Percentile

Age (Year)	BP Percentile ↓	Systolic BP (mmHg)							Diastolic BP (mmHg)						
		← Percentile of Height →							← Percentile of Height →						
		5th	10th	25th	50th	75th	90th	95th	5th	10th	25th	50th	75th	90th	95th
1	50th	80	81	83	85	87	88	89	34	35	36	37	38	39	39
	90th	94	95	97	99	100	102	103	49	50	51	52	53	53	54
	95th	98	99	101	103	104	106	106	54	54	55	56	57	58	58
	99th	105	106	108	110	112	113	114	61	62	63	64	65	66	66
2	50th	84	85	87	88	90	92	92	39	40	41	42	43	44	44
	90th	97	99	100	102	104	105	106	54	55	56	57	58	58	59
	95th	101	102	104	106	108	109	110	59	59	60	61	62	63	63
	99th	109	110	111	113	115	117	117	66	67	68	69	70	71	71
3	50th	86	87	89	91	93	94	95	44	44	45	46	47	48	48
	90th	100	101	103	105	107	108	109	59	59	60	61	62	63	63
	95th	104	105	107	109	110	112	113	63	63	64	65	66	67	67
	99th	111	112	114	116	118	119	120	71	71	72	73	74	75	75
4	50th	88	89	91	93	95	96	97	47	48	49	50	51	51	52
	90th	102	103	105	107	109	110	111	62	63	64	65	66	66	67
	95th	106	107	109	111	112	114	115	66	67	68	69	70	71	71
	99th	113	114	116	118	120	121	122	74	75	76	77	78	78	79
5	50th	90	91	93	95	96	98	98	50	51	52	53	54	55	55
	90th	104	105	106	108	110	111	112	65	66	67	68	69	69	70
	95th	108	109	110	112	114	115	116	69	70	71	72	73	74	74
	99th	115	116	118	120	121	123	123	77	78	79	80	81	81	82
6	50th	91	92	94	96	98	99	100	53	53	54	55	56	57	57
	90th	105	106	108	110	111	113	113	68	68	69	70	71	72	72
	95th	109	110	112	114	115	117	117	72	72	73	74	75	76	76
	99th	116	117	119	121	123	124	125	80	80	81	82	83	84	84
7	50th	92	94	95	97	99	100	101	55	55	56	57	58	59	59
	90th	106	107	109	111	113	114	115	70	70	71	72	73	74	74
	95th	110	111	113	115	117	118	119	74	74	75	76	77	78	78
	99th	117	118	120	122	124	125	126	82	82	83	84	85	86	86
8	50th	94	95	97	99	100	102	102	56	57	58	59	60	60	61
	90th	107	109	110	112	114	115	116	71	72	72	73	74	75	76
	95th	111	112	114	116	118	119	120	75	76	77	78	79	79	80
	99th	119	120	122	123	125	127	127	83	84	85	86	87	87	88
9	50th	95	96	98	100	102	103	104	57	58	59	60	61	61	62
	90th	109	110	112	114	115	117	118	72	73	74	75	76	76	77
	95th	113	114	116	118	119	121	121	76	77	78	79	80	81	81
	99th	120	121	123	125	127	128	129	84	85	86	87	88	88	89
10	50th	97	98	100	102	103	105	106	58	59	60	61	61	62	63
	90th	111	112	114	115	117	119	119	73	73	74	75	76	77	78
	95th	115	116	117	119	121	122	123	77	78	79	80	81	81	82
	99th	122	123	125	127	128	130	130	85	86	86	88	88	89	90

Blood Pressure Levels for Boys by Age and Height Percentile (Continued)

Age (Year)	BP Percentile ↓	Systolic BP (mmHg)							Diastolic BP (mmHg)						
		← Percentile of Height →							← Percentile of Height →						
		5th	10th	25th	50th	75th	90th	95th	5th	10th	25th	50th	75th	90th	95th
11	50th	99	100	102	104	105	107	107	59	59	60	61	62	63	63
	90th	113	114	115	117	119	120	121	74	74	75	76	77	78	78
	95th	117	118	119	121	123	124	125	78	78	79	80	81	82	82
	99th	124	125	127	129	130	132	132	86	86	87	88	89	90	90
12	50th	101	102	104	106	108	109	110	59	60	61	62	63	63	64
	90th	115	116	118	120	121	123	123	74	75	75	76	77	78	79
	95th	119	120	122	123	125	127	127	78	79	80	81	82	82	83
	99th	126	127	129	131	133	134	135	86	87	88	89	90	90	91
13	50th	104	105	106	108	110	111	112	60	60	61	62	63	64	64
	90th	117	118	120	122	124	125	126	75	75	76	77	78	79	79
	95th	121	122	124	126	128	129	130	79	79	80	81	82	83	83
	99th	128	130	131	133	135	136	137	87	87	88	89	90	91	91
14	50th	106	107	109	111	113	114	115	60	61	62	63	64	65	65
	90th	120	121	123	125	126	128	128	75	76	77	78	79	79	80
	95th	124	125	127	128	130	132	132	80	80	81	82	83	84	84
	99th	131	132	134	136	138	139	140	87	88	89	90	91	92	92
15	50th	109	110	112	113	115	117	117	61	62	63	64	65	66	66
	90th	122	124	125	127	129	130	131	76	77	78	79	80	80	81
	95th	126	127	129	131	133	134	135	81	81	82	83	84	85	85
	99th	134	135	136	138	140	142	142	88	89	90	91	92	93	93
16	50th	111	112	114	116	118	119	120	63	63	64	65	66	67	67
	90th	125	126	128	130	131	133	134	78	78	79	80	81	82	82
	95th	129	130	132	134	135	137	137	82	83	83	84	85	86	87
	99th	136	137	139	141	143	144	145	90	90	91	92	93	94	94
17	50th	114	115	116	118	120	121	122	65	66	66	67	68	69	70
	90th	127	128	130	132	134	135	136	80	80	81	82	83	84	84
	95th	131	132	134	136	138	139	140	84	85	86	87	87	88	89
	99th	139	140	141	143	145	146	147	92	93	93	94	95	96	97

BP, blood pressure

* The 90th percentile is 1.28 SD, 95th percentile is 1.645 SD, and the 99th percentile is 2.326 SD over the mean.

Blood Pressure Levels for Girls by Age and Height Percentile

Age (Year)	BP Percentile ↓	Systolic BP (mmHg)							Diastolic BP (mmHg)						
		← Percentile of Height →							← Percentile of Height →						
		5th	10th	25th	50th	75th	90th	95th	5th	10th	25th	50th	75th	90th	95th
1	50th	83	84	85	86	88	89	90	38	39	39	40	41	41	42
	90th	97	97	98	100	101	102	103	52	53	53	54	55	55	56
	95th	100	101	102	104	105	106	107	56	57	57	58	59	59	60
	99th	108	108	109	111	112	113	114	64	64	65	65	66	67	67
2	50th	85	85	87	88	89	91	91	43	44	44	45	46	46	47
	90th	98	99	100	101	103	104	105	57	58	58	59	60	61	61
	95th	102	103	104	105	107	108	109	61	62	62	63	64	65	65
	99th	109	110	111	112	114	115	116	69	69	70	70	71	72	72
3	50th	86	87	88	89	91	92	93	47	48	48	49	50	50	51
	90th	100	100	102	103	104	106	106	61	62	62	63	64	64	65
	95th	104	104	105	107	108	109	110	65	66	66	67	68	68	69
	99th	111	111	113	114	115	116	117	73	73	74	74	75	76	76
4	50th	88	88	90	91	92	94	94	50	50	51	52	52	53	54
	90th	101	102	103	104	106	107	108	64	64	65	66	67	67	68
	95th	105	106	107	108	110	111	112	68	68	69	70	71	71	72
	99th	112	113	114	115	117	118	119	76	76	76	77	78	79	79
5	50th	89	90	91	93	94	95	96	52	53	53	54	55	55	56
	90th	103	103	105	106	107	109	109	66	67	67	68	69	69	70
	95th	107	107	108	110	111	112	113	70	71	71	72	73	73	74
	99th	114	114	116	117	118	120	120	78	78	79	79	80	81	81
6	50th	91	92	93	94	96	97	98	54	54	55	56	56	57	58
	90th	104	105	106	108	109	110	111	68	68	69	70	70	71	72
	95th	108	109	110	111	113	114	115	72	72	73	74	74	75	76
	99th	115	116	117	119	120	121	122	80	80	80	81	82	83	83
7	50th	93	93	95	96	97	99	99	55	56	56	57	58	58	59
	90th	106	107	108	109	111	112	113	69	70	70	71	72	72	73
	95th	110	111	112	113	115	116	116	73	74	74	75	76	76	77
	99th	117	118	119	120	122	123	124	81	81	82	82	83	84	84
8	50th	95	95	96	98	99	100	101	57	57	57	58	59	60	60
	90th	108	109	110	111	113	114	114	71	71	71	72	73	74	74
	95th	112	112	114	115	116	118	118	75	75	75	76	77	78	78
	99th	119	120	121	122	123	125	125	82	82	83	83	84	85	86
9	50th	96	97	98	100	101	102	103	58	58	58	59	60	61	61
	90th	110	110	112	113	114	116	116	72	72	72	73	74	75	75
	95th	114	114	115	117	118	119	120	76	76	76	77	78	79	79
	99th	121	121	123	124	125	127	127	83	83	84	84	85	86	87
10	50th	98	99	100	102	103	104	105	59	59	59	60	61	62	62
	90th	112	112	114	115	116	118	118	73	73	73	74	75	76	76
	95th	116	116	117	119	120	121	122	77	77	77	78	79	80	80
	99th	123	123	125	126	127	129	129	84	84	85	86	86	87	88

Blood Pressure Levels for Girls by Age and Height Percentile (Continued)

Age (Year)	BP Percentile ↓	Systolic BP (mmHg)							Diastolic BP (mmHg)						
		← Percentile of Height →							← Percentile of Height →						
		5th	10th	25th	50th	75th	90th	95th	5th	10th	25th	50th	75th	90th	95th
11	50th	100	101	102	103	105	106	107	60	60	60	61	62	63	63
	90th	114	114	116	117	118	119	120	74	74	74	75	76	77	77
	95th	118	118	119	121	122	123	124	78	78	78	79	80	81	81
	99th	125	125	126	128	129	130	131	85	85	86	87	87	88	89
12	50th	102	103	104	105	107	108	109	61	61	61	62	63	64	64
	90th	116	116	117	119	120	121	122	75	75	75	76	77	78	78
	95th	119	120	121	123	124	125	126	79	79	79	80	81	82	82
	99th	127	127	128	130	131	132	133	86	86	87	88	88	89	90
13	50th	104	105	106	107	109	110	110	62	62	62	63	64	65	65
	90th	117	118	119	121	122	123	124	76	76	76	77	78	79	79
	95th	121	122	123	124	126	127	128	80	80	80	81	82	83	83
	99th	128	129	130	132	133	134	135	87	87	88	89	89	90	91
14	50th	106	106	107	109	110	111	112	63	63	63	64	65	66	66
	90th	119	120	121	122	124	125	125	77	77	77	78	79	80	80
	95th	123	123	125	126	127	129	129	81	81	81	82	83	84	84
	99th	130	131	132	133	135	136	136	88	88	89	90	90	91	92
15	50th	107	108	109	110	111	113	113	64	64	64	65	66	67	67
	90th	120	121	122	123	125	126	127	78	78	78	79	80	81	81
	95th	124	125	126	127	129	130	131	82	82	82	83	84	85	85
	99th	131	132	133	134	136	137	138	89	89	90	91	91	92	93
16	50th	108	108	110	111	112	114	114	64	64	65	66	66	67	68
	90th	121	122	123	124	126	127	128	78	78	79	80	81	81	82
	95th	125	126	127	128	130	131	132	82	82	83	84	85	85	86
	99th	132	133	134	135	137	138	139	90	90	90	91	92	93	93
17	50th	108	109	110	111	113	114	115	64	65	65	66	67	67	68
	90th	122	122	123	125	126	127	128	78	79	79	80	81	81	82
	95th	125	126	127	129	130	131	132	82	83	83	84	85	85	86
	99th	133	133	134	136	137	138	139	90	90	91	91	92	93	93

BP, blood pressure

* The 90th percentile is 1.28 SD, 95th percentile is 1.645 SD, and the 99th percentile is 2.326 SD over the mean.

Dietary modifications

CHILD-1 diet

1. 30% of calories should be from fat intake with 8 – 10% from saturated fat.

2. Limit intake of sugar-sweetened beverages to <4 ounces per day and drink fat-free milk and water.

3. Increase intake of dietary fiber and use fiber supplementation, if needed.

 - a. Total grams of fiber per day = age (years) + 5, up to maximum 25 grams per day.

 - b. Fiber supplements: Benefiber®, Metamucil® or psyllium husk.

 - c. See Table 1 for foods high in fiber.

CHILD-2 diet

1. 25% of calories should be from fat with <7% from saturated fat.

2. Receive <200 mg cholesterol per day.

3. For hypercholesterolemia, add 2 – 3 grams plant sterols per day. Increase dietary intake of foods high in plant sterols or use supplementation, such as Nature Made CholestOff®. Plant sterols bind cholesterol in the intestine to decrease absorption of dietary cholesterol. See Table 2 for foods containing plant sterols. *For hypertriglyceridemia, increase fish intake to obtain 1 – 4 grams omega-3 fatty acids per day. See Table 3 for foods high in omega-3 fatty acids.*

4. Encourage one hour per day of moderate to vigorous physical activity.

5. Advise <2 hours per day of screen time.

6. Consider referral to a lipid specialist in preventive pediatric cardiology.

Table 1

Sources of dietary fiber

FRUITS (raw)		
Apple (with peel)	1 medium	3.3 fiber grams/serving
Apricot	1 cup	3.1 fiber grams/serving
Banana	1 medium	3.1 fiber grams/serving
Blackberries	1 cup	7.4 fiber grams/serving
Blueberries	1 cup	3.5 fiber grams/serving
Grapefruit	1 medium	2.8 fiber grams/serving
Orange	1 medium	3.4 fiber grams/serving
Pear (with peel)	1 medium	4.0 fiber grams/serving
Pineapple	1 cup	2.0 fiber grams/serving
Prunes (dried)	1/2 cup	6.1 fiber grams/serving
Raspberries	1 cup	8.0 fiber grams/serving
Strawberries	1 cup	3.0 fiber grams/serving
GRAIN PRODUCTS		
Brown rice (cooked)	1/2 cup	1.8 fiber grams/serving
Oat bran (dry)	1 ounce	4.1 fiber grams/serving
Oatmeal	1 ounce	3.3 fiber grams/serving
Peanuts (dry roasted)	1/2 cup	5.8 fiber grams/serving
Rye bread	1 slice	1.9 fiber grams/serving
Wheat-bran cereal (dry)	1 ounce	5.0 fiber grams/serving
White bread	1 slice	0.7 fiber grams/serving
White rice (cooked)	1/2 cup	0.3 fiber grams/serving
Whole-wheat bread	1 slice	1.9 fiber grams/serving
VEGETABLES		
Artichoke	1 globe	6.5 fiber grams/serving
Asparagus	1/2 cup	1.8 fiber grams/serving
Broccoli	1/2 cup	2.6 fiber grams/serving
Carrots	1/2 cup	2.4 fiber grams/serving
Cauliflower (cooked)	1/2 cup	1.7 fiber grams/serving
Corn	1/2 cup	2.0 fiber grams/serving
Green peas	1/2 cup	4.4 fiber grams/serving
Kidney beans	1/2 cup	5.7 fiber grams/serving
Pinto beans	1/2 cup	7.7 fiber grams/serving
Potato (baked with skin)	1/2 cup	1.6 fiber grams/serving
Spinach	1/2 cup	3.5 fiber grams/serving

Table 2

Foods containing plant sterols and stanols

NATURALLY OCCURRING FOODS
Apples
Brown rice
Brussel sprouts, broccoli, cauliflower, avocado
Olive, canola, sesame and soybean oil
Sunflower seeds
Walnuts, peanuts, almonds, macadamia nuts
Wheat bran and oat bran
FORTIFIED FOODS
Margarine
Milk
Orange juice
Yogurt

Table 3

Dietary sources of omega-3 fatty acids

SEAFOOD	VEGETABLES
Halibut	Broccoli
Oysters	Brussel sprouts
Salmon	Cauliflower
Sardines	Kale
Trout	Spinach
Tuna	
OILS, NUTS AND SEEDS	FORTIFIED FOODS
Canola oil	Eggs
Chia seeds	Juice
Flaxseed	Margarine
Flaxseed oil	Milk
Plant oils	Yogurt
Soybean oil	
Soybeans/edamame	
Walnuts	